



# *Bandido 148*

## **Basic Specification**

**Steel Hull / Aluminum (or Composite) Superstructure  
(Transom Garage Layout for EURO Market)  
2010 Model**

### TABLE OF CONTENTS

<i>I: Principal Characteristics</i>	<i>XIV: Interior-VIP Stateroom &amp; Boat Deck Master</i>
<i>II: Constructions and Exterior Finish</i>	<i>XV: Interior-VIP, Master &amp; Interior Day Heads</i>
<i>III: Anchor Handling, Mooring and Deck Equipment</i>	<i>XVI: Interior-Saloon &amp; Dinette</i>
<i>IV: Major Machinery (Propulsion &amp; Steering)</i>	<i>XVII: Interior-Galley, Staircase and Foyer Area</i>
<i>V: Electrical</i>	<i>XVIII: Interior-Crew Quarter</i>
<i>VI: Electronics</i>	<i>XIX: Interior-Crew Quarter Wet Heads</i>
<i>VII: Mechanical Systems</i>	<i>XX: Interior-Pilot House</i>
<i>VIII: Main Deck</i>	<i>XXI: Appliance</i>
<i>IX: Upper Deck (Boat deck)</i>	<i>XXII: Audio/Video</i>
<i>X: Flybridge</i>	<i>XXIII: Miscellaneous Equipment</i>
<i>XI: Engine Room and Utility Area</i>	<i>XXIV: Fire and Safety Equipment</i>
<i>XII: Interior-4*Guest and Captain Cabins</i>	<i>XXV: Plans and Support</i>
<i>XIII: Interior-4*Guest and Captain Head</i>	<i>XXVI: SBO List</i>

## I PRINCIPAL CHARACTERISTICS

LOA (Length Over All) :	147ft 8in	(45 m)
LWL (Waterline Length @ full load) :	128ft 5in	(39.15 m)
Beam :	29ft 0in	(8.83 m)
Draft (To Base Line @ half load):	8ft 4in	(2.53 m)
Air Draught (W.L. to Mast Light top @ light ship):	49ft 4in	(15.03 m)
Displacement (half load):	437us tons	(397 t)
<b>Engines :</b>		
Standard : 2x MTU 12V 4000, 1,320 Kw@1800 rpm each		
: 2x ZF 7G41 Gearboxes		
Speed (Max/Cruise) :	16 / 12 knots	
Range :	approx. 6,300 NM @ 12 knots	
Fuel Capacity :	63,150 L	(43,100 Gal)
Fresh Water Capacity :	11,520 L	(3043 Gal)
Black / Grey Water Capacity :	4,090 / 6,310 L	(1080 / 1666 Gal)

Please note:

1. Dimensions, weights, and capacities where shown are approximate only. Speed and other performance estimates if shown or discussed are estimates only and are not guaranteed.
2. Major Equipment model list in this Basic specifications are subject to be replaced by Equivalent without notice.

### GENERAL DESCRIPTION:

It is the intent of this document to establish an as accurate as possible description of an ocean-going, twin screw luxury motor yacht intended for comfortable cruising.

The vessel is constructed in accordance with the requirements of MCA (Maritime Coastguard Agency) LY2 (2008) standard and BV (Bureau Veritas) Classification Society Rules for the Classification and Certificate of Yacht (NR500 DT ROOE, July 2006).

Under the BV Rule, the vessel shall carry the following notation \*

### **BV I+HULL+MACH CHARTER Yacht-Motor-S/A ICE 1D** **MCA compliance examination by BV**

\* *OPTIONAL* :

*Green Passport certificate issued by BV.*

*ITTC (International Tonnage Certificate) to International Tonnage Regulation (London 1969)*

*Flag Registration will be owner's choice & responsibility, while under any Red Ensign Country (ex: Cayman Island / Isle of Man...etc.), extra surveying & drawing approval expense will be required.*

## **II CONSTRUCTION AND EXTERIOR FINISH**

- 1) **CONSTRUCTION:** All works to the existing vessel's hull will be of welded steel construction with plating and stiffener scantlings to the requirements of the Classification Society. All steel used in the construction of the vessel will be manufactured in accordance with the requirements of the Classification Society. Transverse bulkheads and/or web frames will be arranged to provide racking strength and support. The decks will be stiffened by transverse beams in conjunction with girders and pillars. Deck plating in way of local loads such as the windlass, capstans, mooring bits, fairleads, accommodation ladders, cranes, boat chocks and masts will be suitably reinforced. The air inlet and exhaust openings for the engine room will be integrated into the design and arrangement of the superstructure. The Superstructure will be of welded aluminum alloy construction with plating and stiffener scantlings to the requirements of the Classification Society. All material of aluminum alloy used in the construction of the vessel will be manufactured in accordance with the requirements of the Classification Society.



*Steel Hull*



*Aluminum Alloy Superstructure*

- 2) **HULL & SUPERSTRUCTURE FINISH:** Acc to Awlgrip or Alexseal Specs.
- 3) **HULL BOTTOM:** "International" anti-osmosis treatment with 2 Coats of "International" Black anti-fouling paint.
- 4) **RUB RAIL:** Steel half round pipe with Stainless Steel Cap.
- 5) **HATCHES AND DOORS:** Construction, installation, operation, sealing and control of all hatches and doors conform to the requirements of the MCA and the Classification Society. All hinges, dogs, wedges and other moving/chafing parts made by a sea water resistant material and the method of construction and design appropriate for yacht use. The hatches and doors open/closed status will be monitored by a remote monitoring station fitted in the wheel house.
- 6) **PORTLIGHT:** All portlight fixed in the closed position to be stainless steel polished frame and toughened, tinted safety glass with certified thickness and the required number of storm shutters. Owner's choice Glass color per shipyard list.
- 7) **WINDOWS:** All windows to be toughened, tinted safety glass with certified thickness and the required number of storm shutters for approval. Owner's choice Glass color per shipyard list.
- 8) **VESSEL NAME:** LED back light w/ S/S Side Name board (P&S on superstructure); Transom name & Hailing port will be vinyl lettering.
- 9) **STAINLESS STEEL RAILS:** To be located above bulwark on the main deck, also to be located around fore deck, boat deck and flybridge deck. Railings to be 2" round polished grade 316# stainless steel with 1.5" end shaped stanchion.
- 10) **EXTERIOR DECKS:** Teak decks, 75mm edge plank around bulwark & opening w/50mm central pieces, 1/2" thickness on below area :
- a) Main deck : P&S passageway & aft. Deck, steps down to swim plate form area.
  - b) 2<sup>nd</sup> Boat Deck aft. Bow Deck, Portuguese deck, Forward central passage way and Fly Bridge deck.



*Fully Dried quality TEAK decking*

- 11) **EXTERIOR DECK SETTEES:** Per G.A. Molded FRP or aluminum alloy with Owner's choice color of Sunbrella cushion fabric with EZ-dried form.
- 12) **COVERS:** All settees and tables along with Flybridge seats, hot tub and Bar Area to have canvas for weather covers. (color and material selection per shipyard standard)
- 13) **THRU-HULLS:** All Thru-hulls fittings below waterline to be bronze valves and bonded.
- 14) **HEADLINES :**Fast mount Panels with white satin finished gel coating with flush mounted deck lights.
- 15) **CAPRAIL:** polished grade 316# stainless steel.
- 16) **PORTLIGHTS:** Watertight Stainless Steel fixed port lights with S/S storm covers per GA designed positions. Standard port light 12"x24" vertical & 10" x20" horizontal with AL accessed frame.
- 17) **ZINC ANODES:** Installed on around ship hull and secured on stainless steel studs, rudder plate, shaft and tied to the bonding system. .

**\*OPTIONAL:**

- Hull shell or Superstructure PU paint with dark color (instead of STD white)
  - F/B & through vessel Teak deck
  - Raw Teak Cap Rail
  - Oval shape hand rail with stanchion support
  - S/S plate with Led back light transom name plate
  - Extra port light or special enlarged custom windows
- More custom items available, refer to the Optional list

### **III ANCHOR HANDLING, MOORING and DECK EQUIPMENT**

- 1) **BOW:**
  - a) Anchor - Two 280kg (per BV rule) High Holding Power Kedge Type Anchor (S/S grade) build into accessed s/s anchor pocket.
  - b) Chain - Two each 558 ft (170m) of 22mm BV grade Q2 grade high strength Stud-Link chain.
  - c) Two Maxwell VWC 11000 or Lemar V12 Hydraulic Windlass with band break / chain roller, stopper & tensioner set.  
Two Maxwell VC6000 or Lemar C6 Warping Capstan, 24VDC with one bitt per each side.
  - d) Sea water anchor chain wash down system.
  - e) per GA, 4 set of fairleaders & Bitts(200A).
- 2) **STERN:**
  - a) Two Maxwell VC6000 or Lemar C6 Warping Capstan, 24VDC with one bitt per each on corner.
  - b) 2 Hawse eyes installed on P&S aft.
  - c) Two fixed type Bollard at swim plate form corner for tenders.



*Windlass*

- 3) **GENERAL:**
  - a) 12 x molded Stainless steel freeing ports per GA design.
  - b) 4 hawse eyes and Bollard (200A); 2 on each side of midship per GA.

**\*OPTIONAL:**

- Increased Anchor chain length.
- Fresh water wash down system on chain pipes.
- S/S stem protection plate
- S/S pocket anchor bottom protection strips



*Typical mooring cleat & fairleader w/roller*

### **IV MAJOR MACHINERY (PROPULSION AND STEERING)**

- 1) **MAIN ENGINES:** Twin MTU 12V 4000 M60 @1800rpm with ZF MMC Electrical control.  
4 stations, integrated station selection and shifter control, and synchronizer. Conventional wet exhaust bypass and under waterline exhaust. Engine & Gear box with Full Class Certification & testing report.
- 2) **VIBRATION DAMPERS:** Engines to be mounted on Lo-Rez Isolation Mounts. All motors and mounts to be mounted with shock/isolation mountings.

- 3) **FUEL FILL STATIONS:** Central fuel fill stations port and starboard with vent pipes vented overboard for fast filling. On site over flow alarm equipped..
- 4) **FUEL TANKS:** Steel structure connect with ship hull, every Fuel oil tank all have fills and standard air vents and Electronic monitoring system with Hi/Lo alarm
- 5) **FUEL FILTERS:** RACOR fuel filters for both engines and each generator.
- 6) **FUEL TRANSFER SYSTEM:** Electronic 2 x G&R CP/25/1 fuel transfer pump with manual emergency operation pump.
- 7) **SHAFTS:** Hi Tensile Stainless Steel #630 (or equivalent Aqua #17) shaft Diameter 172 mm (6.8") per Class regulation.
- 8) **SHAFT LOG AND PACKING GLANDS:** Shaft logs to be one-piece steel construction laminated into the hull with Tide Strong dripless packing gland/bearing with spare seal, plus cutlass intermediate bearing.
- 9) **A-STRUTS:** Cast Iron A-Brackets with foil shape struts. Class test & certificate.
- 10) **PROPELLERS:** 5-Blade S Grade ZF-Propulsion Propeller with class stamp certification.
- 11) **STEERING SYSTEM:** Hy-Drive Class Type Approved Hydraulic Steering System. Four stations – Pilot House and Wing Stations (Port and Starboard) and ship aft with electric controls. All stations to have rudder angle indicators.
- 12) **RUDDERS:** Stainless Steel 316L Foil Shape Balanced Rudders plate with s/s 630 grade , diameter per class rudder stock.
- 13) **RUDDER BEARING/SEALS:** Tides Marine packing gland.

**\*OPTIONAL:**

- Main engine up grade to MTU12V2000M93 (1800HPx2)  
Including Engine Control & engine bed structural up-grade.
- Alfa Laval fuel/ water separator

## **V ELECTRICAL**

- 1) **GENERATORS:** Two CAT 150kW 1800 RPM Onan with flexible mounts, sound shields, water lift mufflers, exhaust water separator, water temperature, oil pressure and hour meters installed on panel near generators. 380/220VAC, 50Hz, 3 Phase 4 wires system through boat.
- 2) **BATTERIES:** All AGM type L-Terminal batteries in well vented FRP box..
  - a) Engine Starting Bank : 24VDC, Four batteries, 450AH, wired in parallel with daily service bank.
  - b) Daily Service Bank: 24VDC, Two batteries, 230AH
  - c) Engine Control Bank: 24VDC, Four batteries, 320AH, exclusive used for engine control
  - d) Generator Starting Bank: 12VDC, Two batteries, 450AH
  - e) Emergency Bank: 24VDC, Four batteries, 450AH

- 3) **BATTERY CHARGERS:**
  - a) Two Charles 50 amp/24V DC battery charger for the main engine starting and control battery banks.
  - b) One Charels 60amp/24V DC battery charger for the 24V DC Ship's Daily bank.
  - c) Two Charles 20 amp/12V DC battery charger for each generator starting battery bank.
  - d) One Charles 60amp/24V DC battery charger for emergency battery bank ..
- 4) **DEFROSTERS:** Three (3) heater/defrosters on pilothouse console.
- 5) **PILOTHOUSE CHART LIGHTS:** Three (3) 12V DC lights, at navigator's area and captain's desk.
- 6) **DISTRIBUTION PANELS:** All distribution panels to have engraved faceplates w/back light
- 7) **GENERAL INTERIOR LIGHT :** BCM, Cantalupi or equivalent per shipyard's standard for general ceiling lights.
- 8) **EXTERIOR LIGHTING:** Lighting at house sides, stairs, deck overhead. BCM, Cantalupi or equivalent per shipyard's standard.
- 9) **READING LIGHTS:** All staterooms have 220V receptacles for table lamps, wall mounted lights in all rooms : BCM, Cantalupi or Daniel Smith , per shipyard's standard or no credit per owner supplied (Captain, engineer & crew quarter are 24V light)
- 10) **INDIRECT LIGHTING:** 24V DC LED rope lighting per lighting plan.
- 11) **SWITCHES & OUTLETS:** Vimar or equivalent receptacles and switching throughout. To be selected per shipyard's standard.
- 12) **NAVIGATION LIGHTS:** With operation monitored by FT-Nav alarm/monitoring system. Aqua-signal or equal. Includes bow light, stern light, side lights, and anchor light.
- 13) **SEARCHLIGHT:** One ACR-RCL-100 (or equivalent) located on top radar ach with single control.
- 14) **UNDER WATER LIGHTS :** 12 PCS Ultimate 75 Fixed 30° ICE. 316 SS. W. 230v Ballast and 150w MSD Lamp thru-hull on transom area.
- 15) **SHORE POWER:** Two 100 kw, 240V, three-phase shore feeds, 100' Glendinning CM-8 Cablemaster cord reels. Both located aft.
- 16) **SHORE POWER CONVERTERS:** One Mastervolt 100 kw frequency converter. Wide range input from 100VAC-400VAC, 50-60Hz, 1 or 3 phase converting to boat power system.
- 17) **MAIN AC SWITCHBOARD:** Located in electrical room. Design to be functional with all necessary circuit breakers and transfer switches to provide proper operation of all AC circuits & synchronized function for two main generators .
- 18) **VESSEL ALARM & CONTROL SYSTEM:** FT NAV Central alarm and control system displayed on 20" flat screen monitor. Items on control panel as follows:

- a) Bilge Page : high level alarm.
- b) Tank Level Page : Fuel, water, Grey, Black tanks level & pumps monitoring.
- c) Security Page : Watertight doors, windows, hatches opening supervising per class request.
- d) Machinery page : Major pumps, blowers, equipments operation monitoring.

- 19) **FIRE DETECTION & MONITORING SYSTEM:** Independent class type approval "Consilium" system, smoke & heat detectors in each enclosed cabins or area per class required

**\*OPTIONAL:**

- Generator up grade to 160kw together with MSB upgraded.
- Shore power up grade to 140KVA
- Extra underwater light
- FT NAV system pages or sensors increased
- Extra shore power cable & inlet on Bow Deck
- Interior Ceiling Lights up-grade to LED type.


## VI ELECTRONICS

*(Below list indicate Shipyard's standard. Owner's selection or supplied, for allowance or credit for US\$160,000 limitation.)*

- 1) **INTERNAL TELEPHONE SYSTEM:** Panasonic TDA 30 Hybrid system with 3 portable & 15 desk top speakerphones on each cabin & major area.
- 2) **SATELLITE COMMUNICATION :** KVH fb500 TracPhone with One handheld phone in Pilot House.
- 3) **SATELLITE TELEVISION ANTENNA :** KVH TracVision M9. (Decoders & signal switch units per owner's supply with free installation)
- 4) **RADAR:** Main Radar, JRC X-Band or S-Band with 7' open array antenna. 2nd Radar JRC X-Band or S-Band with 6' antenna.
- 5) **DEPTH ECHO SOUNDER:** Furuno FE-700 with extra 6.5" color LCD display in Captain's office.
- 6) **GPS:** Furuno GP-150 with 6" display.
- 7) **NAVIGATION/ELECTRONIC CHART SYSTEM:** Furuno Navnet 3D + Chartplotter PC with Maxsea software.
- 8) **RADIOS:**
  - a) GMDSS VHF : Sailor RT 4822 DSC GMDSS In Pilothouse (DSC Class A), Simrad RS 87 DSC GMDSS In Pilothouse (DSC Class D), 2nd Handset on the Flybridge.
  - b) Handheld VHF : 4x Simrad AXIS 50 GMDSS In Pilothouse/Tender/Liferaft/Jetski.
- 9) **LOUD HAILER & PUBLIC ADDRESSOR :** SPECO SPC-40PR, two speakers connecting with VHF on Mast & Aft deck; interior integrated with Panasonic phone system.
- 10) **TEMP, DEPTH AND SPEED TRANSDUCER:** Simrad IS 15 Multi with Depth & Speed Sensor In Pilothouse, Simrad IS 15 Multi On Flybridge

- 11) **AUTOPILOT SYSTEM:** One Raytheon NautoPilot NP60.
- 12) **CAMERA SYSTEM:** Sanyo Total 9 Hi-resolution color pan/tilt/zoom cameras located forward of main entrance on the port & starboard side of after main deck, engine room x 2, Mast Head x 1, Garage x 1, Lazertte x 1, Anchor Pocket Port & Starboard x 2, Display on 20" LCD monitor in pilot house.
- 13) **WEATHER FAX:** Furuno Satellite weather receiver Fax 207
- 14) **NAVTEX:** NAV 5 Plus.
- 15) **AIS:** Simrad A180 Complete System, Display in P/H.
- 16) **COMPASS:** Simrad GC80, Repeater AR78 in pilot house.
- 17) **GPS COMPASS:** HS52 display in pilot house.
- 18) **FLUXGATE COMPASS:** Simrad RC36 Robnet  
**MAGNETIC COMPAS:** Simrad cassens & plath 180 overhead.
- 19) **DISPLAY MONITORING:** Four Boring 19" LCD screen in P/H

**\*OPTIONAL:**



Mast

## VII MECHANICAL SYSTEMS

- 1) **AIR COMPRESSOR & HORN:** Schneider compressor, 220 VAC, 125 PSI with in-line water separator and regulator. Mainly supply for Kahlenberg T-3A Horn, High Polished Chrome on mast with controls at Pilot House. Extra output connectors on engine room, garage & bow deck.
- 2) **BILGE/FIRE PUMPS:** Two Bilge/Fire Pumps, Main MP self priming electrical pump inside Engine room while secondary Diesel pump outside. Main bilge manifold located in the engine room with Copper-Nickel plumb system preventing cross flooding between compartments.
- 3) **FRESH WATER TANKS:** One steel structure fresh water tanks connect with ship hull has fill and standard air vents and Electronic monitoring system with Hi/Lo alarm.

- 4) **WATER MAKER:** One Idromar MC 9S-GB 9000ltr Per Day. System to have Chlorine Steralizing.
- 5) **WATER FILTERS:** One Carbon Filter Idromar ID 6R & One Sandfilter Idromar IDM 5009 & One UV Filter Idromar 8000.
- 6) **HOT WATER HEATER:** 4 x Rheinstron 115 ltr Horizonta Boilers. Circulating Pumps 3x 220v AC & Water Pumps G&R 2 Ecoinox 160 ltr min@4,8bar 230v AC or 400v 3ph AC
- 7) **HOT AND COLD WATER SHOWER:** Outlets on swim platform, Bow deck area & Flybridge.
- 8) **FRESH WATER WASH DOWN:** With quick disconnect on fore deck, boat deck, swim platform, flybridge & engine room.
- 9) **HEATING/VENTALATION AND AIR CONDITIONING (HVAC):** NOSKE- KAESER Chilled water system with air handlers in salon, pilothouse, galley, all staterooms, crew area and upper deck, total capacity 190kw. Fresh Make-up air system is included. Heat will be provided via Oil Fired Central Heating (Kabola). Each zone is to have independent controls.
- 10) **VENTILATION:** Each head / garage/galley/laundry/emergency generator room/stern bilge/fore store/sauna/steam room in the vessel equipped with NOSKE- KAESER electrical fans.
- 11) **HIGH PRESSURE HYDRAULIC SYSTEM:** The “integrated” hydraulic system run of pumps mounted to the PTO on each transmission.
  - a) Anchor Windlass two Maxwell, Capstan four Maxwell.
  - b) Stern Thruster: 24” Thruster, 150HP, ABT or equivalent.
  - c) Stabilizer, Two 22 square foot fins. ABT or equivalent. (p.s: Bow Thruster: 24” Thruster, 150 HP. ABT AC motor drive)
- 12) **LOW PRESSURE HYDRAULIC SYSTEM:** Optional per owner’s choice, intergraded central power pack design available for below units:
  - a) Transom passerelle (optional) and Transom door.
  - b) Side ladder (optional) / Swim ladder (optional)
  - c) Balcony (optional)
  - d) Tender winch and rescue davit.
- 13) **LUBE OIL SYSTEM:** 185-gallon clean lube oil tank with deck fill and spigot, 185-gallon lube waste tank with drain spigot and reverse pump G&R ACB 80 E 1.2m³h 24v DC 0.37kw .
- 14) **WASTE WATER SYSTEM:** One central Hamann waste water system combining both gray and black water. System to have transfer tanks & pumps as design request, and two main steel storage tanks (Grey & Black water, total 2,640 gal), both with Boring tank level indicators and automatic pumps.

**\*OPTIONAL:**

- Transom passerelle
- Side ladder (Hydraulic)
- Swim Ladder (Hydraulic)
- Stabilizer up grade with STAR function
- Water maker up grade to 2800GPD commercial unit
- A/C air handler with heaterl.

## VIII MAIN DECK

### 1) **AFT DECK FURNITURE:**


- a) One teak dinning table for 10 persons, Guest chairs SBO (Supplied By Owner).
- b) Built-in steel bar counter, Appliance on the counter : sink, ice maker, teppanjaki, refrigerator, cool-matic drawer& trash bin.
- c) Stainless steel gate to close off stairs to swim step, P&S.



Main Aft. Deck furniture w/Armchair ( B&B Italia Canasta)

### 2) **STEEL INCLINE STAIRCASE :** Up to Boat Deck Starboard and down to Engine room with safety lights throughout.

### 3) **BOW FLAG POLE:** Mirror polished 2” round , 900mm height stainless steel flag pole.



Typical Bow Deck area

### 4) **BOW DECK FURNITURE:** per GA,

- a) P&S FRP or aluminum alloy Settee & table with cushions.
- b) P&S large storage locker for fenders & ropes.
- c) Bow deck central hatch with tooling storage.

### 5) **STORAGE LOCKERS AROUND PORTUGUESE DECK :** per GA.



Bow deck convert to Aluminum settee

## **IX UPPER DECK (BOAT DECK)**

- 1) **AL COUNTERS:** Aluminum alloy molded-in storage cabinets (starboard) w/ Corian top & appliance under.
- 2) **ALUMINUM ALLOY STAIRCASE:** From Boat Deck up to Flybridge with safety lights throughout. S/S frame with Acrylic plate hatch.



Aluminum Staircase into F/B w/hatch cover

- 3) **STORAGE LOCKER:** Half height locker on portside under stair case.
- 4) **FLAGSTAFF:** Stern stainless steel 2" round flagstaff.
- 5) **FURNITURE:** SBO (GA shown as ref. base), Builder provides tie-downs for all items.

- 6) **FORWARD PORTUGUESE BRIDGE:** P&S wing stations outside of Pilothouse. Stations include electronic engine controls with synchronizer engines start and stop, jog lever, horn buttons, thrusters control and rudder angle indicator.

**\*OPTIONAL:**

- Extra BBQ unit under FRP counter
- Electrical Flip Down TV unit from head liner
- FRP settee with Sun-Pad unit per GA shown



2<sup>nd</sup> Boat Deck / Open space with loose furniture



2<sup>nd</sup> Boat Deck / Open space with loose furniture( B&B Italia Canasta)




2<sup>nd</sup> Boat Deck / Open space with loose furniture( B&B Italia Canasta)



F/B Bar

## **X FLYBRIDGE**

- 1) **MAST:** Aluminum Mast with electronics. Navigation lights and air horn.
- 2) **BAR:** Aluminum alloy bar with artificial stone top & appliance under plus eight bar stools with cushion.
- 3) **WINDSHIELD :** Stainless frame with plastic glass (similar color per side window selected).
- 4) **TABLE AND CHAIRS:** FRP or aluminum alloy Settee & teak wood table with cushions per GA designed.
- 5) **HOT TUB :** Raised fiberglass hot tub with built in sunning pads. (storage space under) with independent heater in engine room & circulation pump.
- 6) **DAY HEAD:** GRP coating surface w/non-skid floor.
- 7) **Teppanyaki:** per GA shown
- 8) **SHOWER PAN :** Shower wall made of artificial glass, Teak grid shower pan with drainage & faucet per GA shown.



F/B Bar & Deck Jacuzzi



F/B Day Head



Engine Room

## **XI ENGINE ROOM & UTILITY AREA**

### **1) FLOOR:**

- a) Engine room : patterned aluminum or non-skid rubber floor.
- b) Utility area (Crew quarter, Control Room, Electrical room & Tender Garage) : non-skid rubber floor or choice Vinyl wood plate per shipyard's standard.

### **2) BULKHEAD & HEADLINER**

- a) Engine room will be perforated aluminum panels w/white paint.
- b) Utility area: Choice Wall paper or powdered Gel Coating satin finish.

### **3) VENT SYSTEM:** Air intake G&R Reversible ELL 800 5,5 kw, Exhaust fan G&R Reversible ELL 800 2,2 kw.

### **4) WORKBENCH:** With Stainless steel countertop, sink, vise, tools storage and multiple power outlets.

### **5) TENDER GARAGE :**

- a) Space & capacity for one SBO tender, size up to 19.7ft / 1400kg.
- b) Water tight Hydraulic aluminum alloy Garage door up lifting with swim-plate form.
- c) Slip Way launching system with hydraulic winch.
- d) Diving equipment locker with free installation for SBO water sports.
- e) Independent Hydraulic W.T. crew entrance door on Port staircase.

### **\*OPTIONAL:**

- Teak utility flooring

## **XII INTERIOR – 4 \* GUEST & CAPTAIN'S CABINS**

*(all Choice Wood, Floor Carpet, Marble, Ceiling Majelite, curtain fabric, Interior / bathroom Hardware list below and after were per shipyard standard catalog. Or SBO w/shipyard free install, while Shipyard give NO Credit for supplied items.)*

- 1) **FLOORING :** Choice of carpet with backing pad, with edge detail or deco wood trim.
- 2) **WALL COVERINGS:** High gloss or Satin wood finish w/fabric, mirror or Lacquer deco panels. Fabric to be shipyard standard or owner supplied w/free foam backing & installation.
- 3) **COUNTER TOPS :** Choice wood veneer through all cabin night stand, Vanity top or display shelf, with Solid wood trim per client's pattern design around counter edge.
- 4) **HEADLINERS:** Custom choice wood deco edge (natural or lacquer) around ceiling, MAJILITE wrapped ceiling panels (per designer patterning) throughout.
- 5) **BEDDING :** Shipyard standard Mattresses with white lining sheet for all beds. Owner Supplied raw Fabric material for Shipyard free tailor & installation on : Cushions, Pillows, Bed spread, Bed Cover, & Bed head board.
- 6) **WARDROBES:** Hanging lockers with automatic light fixture (shipyard standard). All with Cedar veneer lined.
- 7) **BUILT-IN FURNITURE:** Doors, drawers, berths, love seat, nightstands, and vanities are all custom choice wood veneer. (Loose chair or furniture not included).
- 8) **DOORS & CABINETS HARDWARE:** Door handles, stoppers, knobs, latches, hinged, track & all hardware from shipyard standard booklet for owner's choice. .
- 9) **VALANCES/BLINDS:** Double manual Layers, outer Blind and inner Roman Shades. Fabric from shipyard standard booklet for owner's choice, or SBO with free tailor & installation

- 10) LIGHTING:** BCM, CANTALUPI or equivalent per shipyard's standard model listing & lighting plan for :
- General ceiling lights (w/dimmer function).
  - Indirect LED rope lighting under berth / sofa / curtain box or ceiling per lighting plan.
  - Reading lights for each bedding position.
  - Night stand lamp or wall mount features.

**\*OPTIONAL:**

- Major Ceiling Lights up grade to LED / RGB type lights



Guest Room

**XIII INTERIOR – 4\* GUEST & CAPTAIN'S HEAD**

- FLOORING :** Marble floor with accent border or metal strip inlay.
- HEAD WALL COVERINGS:** High gloss / Satin wood finish or Lacquer Surface.
- SHOWER ROOM WALL COVERINGS & CEILING:** Standard "Premier white" seamless polyurethane spray finish. FRP Drainage pan with marble or teak grid floor covering plate.
- COUNTERS :** Choice marble with crescent or owner designed styling edge.
- HEADLINERS:** Custom choice lacquer panel or plastic mirror throughout.
- SHOWER DOORS:** Frameless tempered glass door with shipyard standard hardware.
- BATHROOM TAB & FAUCET:** JADO , Grohe or equivalent hardware from shipyard standard booklet per owner's choice. .
- SINKS:** Inlaid porcelain sinks (KANERA w/hidden soap access) per interior drawings.
- DOORS & CABINETS HARDWARE:** Door handles, knobs, latches, hinged, track & all hardware from shipyard standard booklet for owner's choice. .

- 10) VALANCES/BLINDS:** Single manual Layer of Blind from shipyard standard booklet for owner's choice.

- 11) LIGHTING:** Shipyard's standard model listing & lighting plan for :
- General ceiling lights.
  - Wall mount features or light box on hanging lockers above sinks.
  - T5 florescent light inside curtain box , ceiling & under hanging locker.

**\*OPTIONAL:**

- Full Height Marble Wall on Bathroom



**XIV INTERIOR – VIP Stateroom & Boat Deck MASTER**

- FLOORING :** Choice of carpet with backing pad, with edge detail or deco wood trim.
- WALL COVERINGS:** High gloss or Satin wood finish w/fabric, mirror or Lacquer deco panels. Fabric to be shipyard standard or owner supplied w/free foam backing & installation.
- COUNTER TOPS & SOLID WOOD TRIM:** Choice wood veneer through all cabin night stand, Vanity top or display shelf, with Solid wood trim per client's pattern design around counter edge.
- HEADLINERS:** Custom choice wood trim & crown molding (natural or lacquer) around ceiling edge, MAJELITE wrapped ceiling panels (per designer patterning) throughout. Special ceiling access above bed area.
- BEDDING :** Shipyard standard Mattresses with white lining sheet for all beds. SBO Owner Supplied raw Fabric material for Shipyard free tailor & installation on : Cushions, Pillows, Bed spread, Bed Cover, & Bed head board.
- WALK IN CLOSET:** Hanging lockers with dimmed light fixture. Shoe locker & drawers per owner's design w/Safe box. Cedar veneer lined.
- BUILT-IN FURNITURE:**

**VIP Stateroom :**

- a) P&S Build in lockers & drawers with Vanity table.
- b) P&S Nightstands
- c) Wall Mount TV & stereo lockers.

**Boat Deck Master :**

- a) Study table with end table & book shelves in owner's office
- b) P&S Build in lockers & drawers with Vanity table & Love Seat Sofa.
- c) P&S Nightstands
- d) Wall mount TV (50").

8) **DOORS & CABINETS HARDWARE:** Door handles, knobs, latches, hinged, track & all hardware from shipyard standard booklet for owner's choice. .

9) **VALANCES/BLINDS:** Outer Layer of Electrical Blind (Ocean air or equivalent) from shipyard standard booklet for owner's choice. Inner layer SBO Fabric with free curtain tailor & installation.

10) **LIGHTING:** BCM, CANTALUPI or equivalent per shipyard's standard model listing & lighting plan for :  
 a) General ceiling lights (w/dimmer function).  
 b) Indirect LED rope lighting under berth / sofa / curtain box or ceiling per lighting plan.  
 c) Reading lights for each bedding position.  
 d) Night stand lamp or wall mount features.



Master Stateroom



Master Stateroom



Master Stateroom

**XV INTERIOR – VIP, MASTER & INTERIOR DAY HEADS**

- 1) **FLOORING :** Marble floor with accent border or metal strip inlay.
- 2) **HEAD WALL COVERINGS:** High gloss / Satin wood finish or Lacquer / mirror Surface.
- 3) **SHOWER ROOM WALL COVERINGS & CEILING:** Full height marble or custom choice tile wall.
- 4) **COUNTERS :** Choice marble with crescent or owner designed styling edge.
- 5) **HEADLINERS:** Custom choice lacquer panel or plastic mirror throughout.
- 6) **SHOWER ROOM:** Frameless tempered glass door with shipyard standard hardware.
- 7) **BATHROOM TAB & FAUCET:** Duravit or equivalent hardware from shipyard standard booklet per owner's choice. .

- 8) **SINKS:** His & Hers inlaid porcelain sinks (Kanera w/hidden soap access) per GA positions.
- 9) **DOORS & CABINETS HARDWARE:** Door handles, knobs, latches, hinged, track & all hardware from shipyard standard booklet for owner's choice. .
- 10) **LIGHTING:** Shipyard's standard model listing & lighting plan for :
  - a) General ceiling lights.
  - b) Wall mount features or light box on hanging lockers above sinks.
  - c) T5 florescent light inside curtain box , ceiling & under hanging locker.
- 11) **VIP & MASTER HOT TUB :** Jacuzzi per GA with warmer & circulation pump, full height Marble wall around.

**\*OPTIONAL:**

- Steam System on each shower room



Master Stateroom / Day Head

- 2) **WALL COVERINGS:** High gloss or Satin wood finish w/fabric, mirror or Lacquer deco panels. Fabric to be owner supplied w/free foam backing & installation.
- 3) **COUNTER TOPS & SOLID WOOD TRIM:** Choice wood veneer through all cabin night stand, Vanity top or display shelf, with Solid wood trim per client's pattern design around counter edge.
- 4) **HEADLINERS:** Custom choice wood trim & crown molding (natural or lacquer) around ceiling edge, MAJELITE wrapped ceiling panels (per designer patterning) throughout. Special ceiling access above saloon & dining tables.
- 5) **ISLAND COUNTER :** Per GA custom designed unit with TV set facing Saloon area, dish & glass locker on opposite side.
- 6) **BUILT-IN & LOOSE FURNITURE:**
  - a) Dining Table : Customer choice wood / marble or glass table for 10 seat capacity, with S/S or wood supporting post.
  - b) P&S dishes cabinets w/ drawers.
  - c) Glass display lockers.
  - d) All loose furniture : Sofa, Coffee Tables, Ottoman & dining chairs are SBO
- 7) **DOORS & CABINETS HARDWARE:** Door handles, knobs, latches, hinged, track & all hardware from shipyard standard booklet for owner's choice. .
- 8) **VALANCES/BLINDS:** Electrical outer Blind plus manual inner Roman Shades, Ocean air or equivalent from shipyard standard booklet for owner's choice.
- 9) **LIGHTING:** BCM, CANTALUPI or equivalent per shipyard's standard model listing & lighting plan for :
  - a) General ceiling lights (w/ dimmer function).
  - b) Indirect LED rope lighting under berth / sofa / curtain box or ceiling per lighting plan.
  - c) Wall mount features (or SBO with free installation)
  - d) T5 florescent light inside curtain box.



Dinette

**XVI INTERIOR – SALOON & DINETTE**


- 1) **FLOORING :** Choice of carpet with backing pad, with edge detail or deco wood trim.



Dinette



Sky Lounge



Saloon



Saloon

## XVII INTERIOR – GALLEY, STAIRCASE & FOYER AREA

- 1) **FLOORING** : Foyer Area marble floor with accent border or metal strip inlay..
- 2) **WALL COVERINGS**: High gloss or Satin wood finish w/fabric, mirror or Lacquer deco panels. Fabric to be owner supplied w/free foam backing & installation.
- 3) **HEADLINERS**: Custom choice wood trim (natural or lacquer) around ceiling edge, MAJELITE wrapped ceiling panels (per designer patterning) throughout.
- 4) **DOORS & CABINETS HARDWARE**: Door handles, knobs, latches, hinged, track & all hardware from shipyard standard booklet for owner's choice . .
- 5) **STAIRWAYS**:  
**Central Spiral Stair** : Carpeted or wood stairs with wood border and emergency safety lights.  
**Aft. Deck to Crew** : Wood steps w/emergency lights.



Saloon



Central Staircase



Galley



Central Staircase



Galley

- 6) **HANDRAILS:** One at each stair,  
**Central Spiral Stair :** Solid Wood or Acrylic with Metal support.  
**Aft. Deck to Crew :** S/S or wood w/metal supports.

7) **GALLEY:**



Galley

**\*OPTIONAL:**

**XVIII INTERIOR – CREW QUARTER**

- 1) **FLOORING :** Choice of vinyl wood, none skid rubber or carpet with backing pad.
- 2) **WALL COVERINGS:** High gloss or Satin wood, or choice wall paper.
- 3) **CREW LAUNGE TABLE & COUNTER TOPS:** Choice wood veneer or Corian w/four movable dining stools.
- 4) **HEADLINERS:** Custom choice Vinyl Leather ceiling panels (per designer patterning) throughout.
- 5) **BEDDING :** 6” soft Foam mattress with white lining . Fabric per shipyard standard for Pillows & bed spread.
- 6) **WARDROBES:** Hanging lockers with automatic light fixture. Cedar veneer lined.
- 7) **DOORS & CABINETS HARDWARE:** Door handles, knobs, latches, hinged, track & all hardware per shipyard standard. Owner’s choice for color only.

- 8) **VALANCES/BLINDS:** Single manual Layer of Blind or curtain per shipyard standard for cabins & crew lounge only. Owner's color choice.
- 9) **LIGHTING:** BCM or CANTALUPI per shipyard's standard model listing & lighting plan for :
  - a) General ceiling lights.
  - b) Indirect rope lighting under berth / dining table or ceiling per lighting plan.
  - c) Reading lights for each bedding position.
  - d) T5 florescent light inside curtain box & ceiling.



Crew Quarter



Crew Cabin

## **XIX INTERIOR – CREW QUARTER WET HEADS**

- 1) **FLOORING :** FRP none Skid surface.
- 2) **HEAD WALL COVERINGS & CEILING:** Standard "Premier white" seamless polyurethane spray finish.
- 3) **COUNTERS :** Choice Corian with standard crescent edge.

- 4) **BATHROOM TAB & FAUCET:** Grohe or equivalent hardware per shipyard standard.
- 5) **SINKS:** Inlaid porcelain sinks (HCG) per GA positions
- 6) **DOORS & CABINETS HARDWARE:** Door handles, knobs, latches, hinged, track & all hardware from shipyard standard booklet for owner's choice. .
- 7) **VALANCES/BLINDS:** N/A
- 8) **LIGHTING:** BCM or CANTALUPI per shipyard's standard model listing & lighting plan for :
  - a) General ceiling lights.
  - b) Wall mount features or light box under hanging lockers / above sinks.



Crew Quarter Wet Head

## **XX INTERIOR – PILOTHOUSE**

- 1) **FLOORING :** Choice of vinyl wood or carpet with backing pad.
- 2) **WALL COVERINGS:** High gloss or Satin wood.
- 3) **CONTROL CONSOLE :** Leather covered dash panels.
- 4) **HEADLINERS:** Custom choice Majelite ceiling panels (per designer patterning) throughout.
- 5) **HELM CHAIRS & WHEEL :** Two Stidd chairs w/one central leaning post. S/S 24" shipyard standard station wheel.
- 6) **SETTEE & TABLE :** 3 person custom choice leather sofa w/ two hi-lo coffee tables..
- 7) **VALANCES/BLINDS:** Single layer of manual Blind per shipyard standard for side windows only. Owner's color choice.
- 8) **LIGHTING:** BCM or CANTALUPI per shipyard's standard model listing & lighting plan for :
  - a) General ceiling lights.
  - b) Indirect rope lighting under settee.
  - c) 3 navigation reading lights on console.

9) **DESK** : Laptop storage w/book shelves above.



*Pilot House*



*Pilot House*

## **XXI APPLIANCE**

*(all equipments below per Drettmann's supply & standard, refer as GA design)*

### **1) GALLEY**

- Main Ref/Freezer unit (Continental 2RRF)
- Walk In Freezer unit (Standard 300 cubic ft w/shelf)
- Gas Cook Stove (w/42" vent hood, Miele CS1012G or equivalent )
- Microwave (GE, Sharp, Gaggenau or equivalent)
- Electrical Oven (GE, Miele CS1112E or equivalent)
- Dish Washer (Miele G7855)
- Trash Compactor (Viking 18" or Medic-Press)
- Disposal (Insinkerator)
- Wine Cooler (Viking 24")
- Heated Drawer (Gaggenau WS 262-130)
- Deep Fryer (Miele CS1411F)
- Double Sink (Blanco)
- Ice Maker (Manitowoc EC-20)
- Coffee Maker (Gaggenau CH210-130)

### **2) MAIN AFT DECK**

- Cooling drawer (Waeco CD -30W)
- Ice Box (Waeco coolmatic CB-36)
- Sink
- Teppanyaki ( Cook and Dine modul 80)

### **3) SALOON BAR**

- Refrigerator
- Ice maker
- Sink
- Dish Washer

### **4) BOAT DECK EXTERIOR BAR**

- Refrigerator (Waeco coolmatic CR110)
- Ice Crusher (Manitowoc EC-20)

### **5) FLY BRIDGE**

- Ice maker (Manitowoc EC-20)
- Two Cooling drawer (Waeco CD -30W)
- Two Ice Box (Waeco coolmatic CB-36)
- Teppanyaki ( Cook and Dine modul 80)
- Sink
- Dish Washer (Miele G7855)

### **6) CREW QUARTER**

- Fridge / Freezer (Simens)
- Coffee Maker (Gaggenau CH210-130)
- Dish Washer (Gaggenau DF240/DF241)

#### **\*OPTIONAL:**

- Galley Walk in Freezer enlarge to 220 cubic ft.
- Micro Wave
- Extra appliance installation

## **XXII AUDIO/VIDEO**

*(all equipments below, or extra like Sat. TV & decoders, per Drettmann's supply & standard as GA designed shown.)*

### **1) SALOON**

- 42" LG TV on Hi Lo, Reciever Kathrein
- DVD/CD player
- Bose 38 Surround sound speaker set w/sub woofer
- One extra pair of speaker in Dinette
- One pair water prove speaker in aft. deck w/volume control

### **2) MAIN DECK OWNERS STATEROOM**

- 46" LG TV with Kathrein Reciever, Electrical flip down on ceiling
- DVD/CD player
- Bose 28 Surround System
- One pair speaker w/volume control
- Two pairs water prove speaker in heads w/volume control

### **3) MAIN DECK OWNERS OFFICIAL**

- 46" LG TV with Kathrein Reciever, Electrical flip down on ceiling
- DVD/CD player
- Bose 28 Surround System
- One pair speaker w/volume control

- 4) **GUEST CABINS (x4) & CAPTAIN'S ROOM**  
15" LG TV with Kathrein Receiver, ceiling mounted in each cabin  
DVD/CD player per each.  
One pair of speakers in each cabin

- 5) **CAPTAIN CABIN**  
15" LG TV with Kathrein Receiver, ceiling mounted  
DVD/CD player  
Surround sound speaker set w/sub woofer  
One pair speaker w/volume control

- 6) **SKY LOUNGE**  
W. DVD Player Extra Amp and Six Loudspeakers  
Bose 28 Surround System  
50" LG TV with Kathrein Receiver  
Surround sound speaker set w/sub woofer



Sky Lounge

- 7) **CREW LOUNGE:**  
26" LG TV, wall mounted on crew lounge.  
DVD/CD player w  
Bose 321 Surround System
- 8) **PILOT HOUSE**  
W. CD Player and Two Loudspeakers  
15" LG TV with Kathrein Receiver
- 9) **GALLEY**  
W. CD Player and Two Loudspeakers
- 10) **FLY BRIDGE**  
Bose SA 3 & Speakers Connected to Enclosed Fly System  
131 Bose Speakers
- 11) **SWIM PLATFORM**  
131 Bose Speakers
- 12) **AFTER DECK**  
Bose SA 3 & Speakers connected to enclosed Salon system  
131 Bose Speakers
- 13) **FWD DECK**  
Bose SA 3 & Speakers connected to bose in owners cabin system  
131 Bose Speakers
- 14) **BOAT DECK**  
Two Loudspeakers From the Skylounge Car Radio  
Bose SA 3 & Speakers Connected to Skylounge System  
131 Bose Speakers

- 15) **GYMNASIUM**  
46" LG TV with Kathrein Receiver  
Bose 28 Surround System



Gymnasium & Sauna

**\*OPTIONAL:**

- Extra Electrical Flip Down TV Set (26") for Main Aft. Deck
- Extra Electrical Flip Down TV Set (26") for Boat Deck.
- Saloon TV up-grade to 65"+ LCD
- Media Max central A/V system
- Crestron Control

**XXIII MISCELLANEOUS EQUIPMENT**

- 1) **BOARDING LADDER :**  
One 9-step 24" Deluxe Marquipt (or equal) w/hand rails on both sides.
- 2) **SWIM LADDER :**  
5 steps, manual S/S slide out & folding down ladder inside swim plate form storage hatch.
- 3) **BOAT HOOK:**  
One 1 1/2" x 8' with chrome-plated hook end & storage access hole.
- 4) **COVERS :**  
Light weight canvas covering for all exterior settee, table, bar unit & hot tub. Black mesh windshield cover provided in P/H.
- 5) **PROVISIONS:**  
a) Fuel tanks 600 USG on delivery  
b) Engines oil and coolant  
c) Oil (50Gal) and Filters will be provided for a complete oil change  
d) Cleaning supplies, towels etc.
- 6) **WHEEL PULLER:**  
Built to pull vessel's propeller.
- 7) **SPARE PARTS:**  
*(Ship stores, spares, tools...etc. allowance of \$10,000)*

**XXIV FIRE AND SAFETY EQUIPMENT**

*(all equipments below for REF. only, final list must per FLAG's rule and Drettmann's supply for.)*

- 1) **LIFE RAFT:**

Two (2) life rafts per (MCA 13.2.3) request and GA design. Std. to be Viking 25 persons per each.

- 2) **LIFE JACKETS:**  
Eighteen (22) Adults + Six (2) Children complete with light and whistle. 4 Inflatable Life jackets for rescue boat (min) (MCA 13.2.4)
- 3) **IMMERSION SUITS:**  
Twenty two (22) Adult (MCA 13.2.5)
- 4) **LIFE BOUYS:**  
Total of 4 with buoyant line of 100' (30m) each. Locate Port and Starboard Bridge and Main deck with Light and Smoke Indicators. Diameter = 24" (600mm) (MCA 13.2.6)
- 5) **LINE THROWING APPLIANCE:**  
One
- 6) **ROCKET PARACHUTE FLARES:**  
SIX (6)
- 8) **RADIO/TELEPHONE:**  
Two (2) – Two Way Radio-Telephone Sets
- 9) **EPIRB:**  
One (1) of 406 MHz (MCA 13.2.7)  
Radio Transponder (SART) – 1 with 1m height above sea level (MCA 13.2.8)
- 9) **FIRE HOSE:**  
Five (5) fire hose stations complete with 50' (15m) hose and nozzle.
- 10) **SPRINKLER SYSTEM:** Optec water Mist sprinkler Hi-Fog system throughout vessel.
- 11) **ENGINE ROOM EXTINGUISHER SYSTEM :** Fixed CO2 or Sea Fire FM200 fire extinguishing system in engine room with remote control from Pilothouse.
- 12) **FIRE DAMPERS:** Fire Dampers for all engine room vent openings.

13) **PORTABLE FIRE EXTINGUISHERS:** Dry chemical powder to be installed in suitable locations to meet classification requirement.

**\*OPTIONAL:**

### **XXV PLANS AND SUPPORT**

- 1) **PLANS:** The vessel will be provided with a complete vessel owner's plan package.
- 2) **OTHER INFORMATION:** All Type approval documentation and all test reports shall be provided with the vessel.
- 3) **SHIPYARD SUPPORT:** In addition to customer/crew orientation (approximately 16 hours) on the vessel while at the shipyard and during sea trials, the Shipyard will also provide a support person to travel with the vessel during the first 5 days of use. The Shipyard will also provide a contact person to provide ongoing support in all areas (mechanical, parts, etc.)

### **XXVI SBO LIST (Owner Supplied)**

- 1) **TENDER**
- 2) **Jet Ski**
- 3) **Water Sport or GYM Equipments**
- 4) **Dining Wares**
- 5) **Cookware & Barware**
- 6) **All Fabric or Leather (for Sofa, fixed Furniture, wall deco panels, Curtains & carpets )**
- 7) **Bedding (Pillow, bed spread, bed cover & head board fabric)**
- 8) **Interior & Exterior Loose Furniture & chairs (Not list in Basic Spec.)**
- 9) **Interior Light features (Not List in basic spec.)**

